



Quality, Reliability, Skilled Service.

As strong  
as an OX



## 4 x 4 Electric Trolley

For efficient and safe transportation for a variety of tasks



Environmental  
Friendly



Reg. Patent



Modular &  
Easy to Operate



Carrying capacity  
450KG



Significant savings  
in manpower & work time

[www.oxen1.com](http://www.oxen1.com)



### OXEN S

Wheel Base 38/48  
Length 115cm  
Motor Brushless 500W  
Battery 48V/10A  
Capacity 180KG



### OXEN M

Wheel Base 61/57  
Length 115cm  
Motor Brushless 500W  
Battery 48V/10A  
Capacity 220KG



### OXEN MR

Wheel Base 65/72  
Length 115cm  
Motor Brushless 500W  
Battery 48V/14A  
Capacity 340KG





### OXEN B

Wheel Base	73
Length	115cm
Motor	Brushless 500W
Battery	48V/10A
Capacity	220KG



### OXEN BR

Wheel Base	70/77
Length	115cm
Motor	Brushless 500W
Battery	48V/14A
Capacity	340KG



### OXEN G

Wheel Base	90
Length	123cm
Motor	Brushless 750W
Battery	60V/14A
Capacity	450KG







Electric sprayer kit 200 liters



Storage Bin Self-Discharge Kit



Controlled Broadcast spreader Kit



Feed Pusher Kit



Narrow Nursery Rack



Dumper Tray Kit



Rod Spreyer Kit



Height adjustable rake Kit



External Battery



Hydraulic Hand Break



Thumb Throttle & Gauge



Telescopic steering wheel handle



Strengthened Wheel



Protected Switch



Ramp



Charger

OXEN1 was founded in 2018 with the aim of innovatively addressing transportation obstacles across various domains. Faced with challenges like narrow passages, loading constraints, and the need for reliability, affordability, eco-friendliness, and ergonomic design, we engineered a specialized 4X4 electric trolley boasting 360-degree maneuverability—a true "turn-on-a-dime" solution.

This user-friendly trolley is equipped to handle diverse field conditions, offering a comprehensive remedy to transportation hurdles. Throughout the development of our product series, we've remained steadfast in upholding our core values:

**Ecological consciousness, reliability, professionalism,  
and unwavering quality.**